

C8 Recital Hall ... CHANNEL HOOKUP

C8 Recital Hall House Hang Paperwork

7/2/14

Channel	Dm	Position	Purpose	Color	Inst Type & Watt
(1)	308	Cove A	Temp Wash		S4-19° 575w
(2)	307	Cove A	Temp Wash		S4-19° 575w
(3)	306	Cove A	Frnt Wash		S4-19° 575w
(4)	305	Cove A	Frnt Wash		S4-19° 575w
(5)	301	Cove B	Frnt Wash		S4-19° 575w
(6)	300	Cove B	Frnt Wash		S4-19° 575w
(7)	299	Cove B	Frnt Wash		S4-19° 575w
(8)	298	Cove B	Frnt Wash		S4-19° 575w
(9)	294	Cove C	Frnt Wash		S4-19° 575w
(10)	293	Cove C	Frnt Wash		S4-19° 575w
(11)	292	Cove C	Frnt Wash		S4-19° 575w
(12)	291	Cove C	Frnt Wash		S4-19° 575w
(13)	288	Cove D	Frnt Wash		S4-19° 575w
(14)	287	Cove D	Frnt Wash		S4-19° 575w
(15)	286	Cove D	Temp Wash		S4-19° 575w
(16)	285	Cove D	Temp Wash		S4-19° 575w
(17)	17	Orch Bar	X Center		S4 PAR WFL 575w
(18)	18	Orch Bar	DS Wash		S4 PAR WFL 575w
(19)	22	Orch Bar	US Wash		S4 PAR WFL 575w
(20)	25	Orch Bar	US Wash		S4 PAR WFL 575w
(21)	43	Orch Bar	US Wash		S4 PAR WFL 575w
(22)	46	Orch Bar	US Wash		S4 PAR WFL 575w
(23)	50	Orch Bar	DS Wash		S4 PAR WFL 575w
(24)	51	Orch Bar	X Center		S4 PAR WFL 575w
(25)	21	Orch Bar	DS Wash		S4 PAR MFL 575w
(26)	24	Orch Bar	DS Wash		S4 PAR MFL 575w
(27)	26	Orch Bar	DS Wash		S4 PAR MFL 575w
(28)	42	Orch Bar	DS Wash		S4 PAR MFL 575w
(29)	44	Orch Bar	DS Wash		S4 PAR MFL 575w
(30)	47	Orch Bar	DS Wash		S4 PAR MFL 575w
(31)	19	Orch Bar	DSC Special		S4-19° 575w

C8 Recital Hall ... CHANNEL HOOKUP

C8 Recital Hall House Hang Paperwork

7/2/14

Channel	Dm	Position	Purpose	Color	Inst Type & Watt
(32)	23	Orch Bar	DSC Special		S4-19° 575w
(33)	41	Orch Bar	DSC Special		S4-19° 575w
(34)	45	Orch Bar	DSC Special		S4-19° 575w
(35)	49	Orch Bar	DSC Special		S4-19° 575w
(38)	34	HR Swallows Nest (uplights)	Fabric Uplights	R89	Alt 360Q 6x9 750w
	"	"	"	"	"
	35	"	"	"	"
	"	"	"	"	"
(39)	57	HL Swallows Nest (uplights)	Fabric Uplights	R89	Alt 360Q 6x9 750w
	"	"	"	"	"
	58	"	"	"	"
	"	"	"	"	"
(40)	90	1st Electric	Shell Gobo X wash		S4-50° 575w
	116	"	"		"
(41)	94	1st Electric	Down light		4/12 T-3 Border light 1.5kw
	101	"	"		"
	105	"	"		"
(42)	95	1st Electric	Down light		4/12 T-3 Border light 1.5kw
	102	"	"		"
	106	"	"		"
(43)	96	1st Electric	Down light		4/12 T-3 Border light 1.5kw
	103	"	"		"
	107	"	"		"
(44)	97	1st Electric	Down light		4/12 T-3 Border light 1.5kw
	104	"	"		"
	108	"	"		"
(45)	120	2nd Electric	Down light		3/9 T-3 Border light 1.2kw
	"	"	"		"
(46)	123	2nd Electric	Down light		3/9 T-3 Border light 1.2kw
	"	"	"		"
(47)	124	2nd Electric	Down light		3/9 T-3 Border light 1.2kw
	"	"	"		"

Channel	Dm	Position	Purpose	Color	Inst Type & Watt
(48)	92	1st Electric	Shell tops wash		Mini-Ten 500w
	113	"	"		"
(49)	20	Orch Bar	Prosc. Wash		S4 PAR WFL 575w
	48	"	"		"
(51)	36	HR Box Boom	Frnt Diag. Wash		S4-19° 575w
(52)	37	HR Box Boom	Frnt Diag. Wash		S4-19° 575w
(53)	38	HR Box Boom	Frnt Diag. Wash		S4-19° 575w
(54)	39	HR Box Boom	Frnt Diag. Wash		S4-19° 575w
(55)	40	HR Box Boom	Organ Temp		S4-19° 575w
(56)	41	HR Box Boom	Frnt Diag. Wash		S4-19° 575w
(57)	59	HL Box Boom	Frnt Diag. Wash		S4-19° 575w
(58)	60	HL Box Boom	Frnt Diag. Wash		S4-19° 575w
(59)	61	HL Box Boom	Frnt Diag. Wash		S4-19° 575w
(60)	62	HL Box Boom	Frnt Diag. Wash		S4-19° 575w
(61)	63	HL Box Boom	Frnt Diag. Wash		S4-19° 575w
(62)	64	HL Box Boom	Frnt Diag. Wash		S4-19° 575w
(71)	1	HR Spot Booth	Low Frnt Wash		S4-10° 575w
(72)	2	HR Spot Booth	Low Frnt Wash		S4-10° 575w
(73)	6	Center Spot Booth	Low Frnt Wash		S4-10° 575w
(74)	7	Center Spot Booth	Low Frnt Wash		S4-10° 575w
(75)	8	Center Spot Booth	Low Frnt Wash		S4-10° 575w
(76)	9	Center Spot Booth	Low Frnt Wash		S4-10° 575w
(77)	10	Center Spot Booth	Low Frnt Wash		S4-10° 575w
(78)	11	Center Spot Booth	Low Frnt Wash		S4-10° 575w
(79)	13	HL Spot Booth	Low Frnt Wash		S4-10° 575w
(80)	14	HL Spot Booth	Low Frnt Wash		S4-10° 575w
(250)	339	House Lights	Front Orch.		House Light 6kw
	340	"	House light		"
	341	"	Rear Orch.		"
	340	"	Rear Booths		"

C8 Recital H... INSTRUMENT SCHEDULE

C8 Recital Hall House Hang Paperwork

7/2/14

TABLE OF CONTENTS

Orch Bar	1	HR Box Boom	3
1st Electric	2	HR Swallows Nest (uplights)	3
2nd Electric	2	HL Box Boom	4
Cove A	2	HL Swallows Nest (uplights)	4
Cove B	3	HR Spot Booth	4
Cove C	3	Center Spot Booth	4
Cove D	3	HL Spot Booth	4
		House Lights	5

Orch Bar

U#	Instrument Type & Wattage	Purpose	Color	Chan	Dim
1	S4 PAR WFL 575w	X Center		(17)	17
2	S4 PAR WFL 575w	DS Wash		(18)	18
3	S4-19° 575w	DSC Special		(31)	19
4	S4 PAR WFL 575w	Prosc. Wash		(49)	20
5	S4 PAR MFL 575w	DS Wash		(25)	21
6	S4 PAR WFL 575w	US Wash		(19)	22
7	S4-19° 575w	DSC Special		(32)	23
8	S4 PAR MFL 575w	DS Wash		(26)	24
9	S4 PAR WFL 575w	US Wash		(20)	25
10	S4 PAR MFL 575w	DS Wash		(27)	26
11	S4-19° 575w	DSC Special		(33)	41
12	S4 PAR MFL 575w	DS Wash		(28)	42
13	S4 PAR WFL 575w	US Wash		(21)	43
14	S4 PAR MFL 575w	DS Wash		(29)	44
15	S4-19° 575w	DSC Special		(34)	45
16	S4 PAR WFL 575w	US Wash		(22)	46
17	S4 PAR MFL 575w	DS Wash		(30)	47
18	S4 PAR WFL 575w	Prosc. Wash		(49)	48
19	S4-19° 575w	DSC Special		(35)	49
20	S4 PAR WFL 575w	DS Wash		(23)	50
21	S4 PAR WFL 575w	X Center		(24)	51

1st Electric

U#	Instrument Type & Wattage	Purpose	Color	Chan	Dim
1	S4-50° 575w	Shell Gobo X wash		(40)	90
2	Mini-Ten 500w	Shell tops wash		(48)	92
3.1	4/12 T-3 Border light 1.5kw	Down light		(41)	94
3.2	4/12 T-3 Border light 1.5kw	Down light		(42)	95
3.3	4/12 T-3 Border light 1.5kw	Down light		(43)	96
3.4	4/12 T-3 Border light 1.5kw	Down light		(44)	97
4.1	4/12 T-3 Border light 1.5kw	Down light		(41)	101
4.2	4/12 T-3 Border light 1.5kw	Down light		(42)	102
4.3	4/12 T-3 Border light 1.5kw	Down light		(43)	103
4.4	4/12 T-3 Border light 1.5kw	Down light		(44)	104
5.1	4/12 T-3 Border light 1.5kw	Down light		(41)	105
5.2	4/12 T-3 Border light 1.5kw	Down light		(42)	106
5.3	4/12 T-3 Border light 1.5kw	Down light		(43)	107
5.4	4/12 T-3 Border light 1.5kw	Down light		(44)	108
6	Mini-Ten 500w	Shell tops wash		(48)	113
7	S4-50° 575w	Shell Gobo X wash		(40)	116

2nd Electric

U#	Instrument Type & Wattage	Purpose	Color	Chan	Dim
1.1	3/9 T-3 Border light 1.2kw	Down light		(45)	120
1.2	3/9 T-3 Border light 1.2kw	Down light		(46)	123
1.3	3/9 T-3 Border light 1.2kw	Down light		(47)	124
2.1	3/9 T-3 Border light 1.2kw	Down light		(45)	120
2.2	3/9 T-3 Border light 1.2kw	Down light		(46)	123
2.3	3/9 T-3 Border light 1.2kw	Down light		(47)	124

Cove A

U#	Instrument Type & Wattage	Purpose	Color	Chan	Dim
1	S4-19° 575w	Temp Wash		(1)	308
2	S4-19° 575w	Temp Wash		(2)	307
3	S4-19° 575w	Frnt Wash		(3)	306
4	S4-19° 575w	Frnt Wash		(4)	305

Cove B

U#	Instrument Type & Wattage	Purpose	Color	Chan	Dim
1	S4-19° 575w	Frnt Wash		(5)	301
2	S4-19° 575w	Frnt Wash		(6)	300
3	S4-19° 575w	Frnt Wash		(7)	299
4	S4-19° 575w	Frnt Wash		(8)	298

Cove C

U#	Instrument Type & Wattage	Purpose	Color	Chan	Dim
1	S4-19° 575w	Frnt Wash		(9)	294
2	S4-19° 575w	Frnt Wash		(10)	293
3	S4-19° 575w	Frnt Wash		(11)	292
4	S4-19° 575w	Frnt Wash		(12)	291

Cove D

U#	Instrument Type & Wattage	Purpose	Color	Chan	Dim
1	S4-19° 575w	Frnt Wash		(13)	288
2	S4-19° 575w	Frnt Wash		(14)	287
3	S4-19° 575w	Temp Wash		(15)	286
4	S4-19° 575w	Temp Wash		(16)	285

HR Box Boom

U#	Instrument Type & Wattage	Purpose	Color	Chan	Dim
1	S4-19° 575w	Frnt Diag. Wash		(51)	36
2	S4-19° 575w	Frnt Diag. Wash		(52)	37
3	S4-19° 575w	Frnt Diag. Wash		(53)	38
4	S4-19° 575w	Frnt Diag. Wash		(54)	39
5	S4-19° 575w	Organ Temp		(55)	40
6	S4-19° 575w	Frnt Diag. Wash		(56)	41

HR Swallows Nest (uplights)

U#	Instrument Type & Wattage	Purpose	Color	Chan	Dim
1	Alt 360Q 6x9 750w	Fabric Uplights	R89	(38)	34
2	Alt 360Q 6x9 750w	Fabric Uplights	R89	(38)	34
3	Alt 360Q 6x9 750w	Fabric Uplights	R89	(38)	35
4	Alt 360Q 6x9 750w	Fabric Uplights	R89	(38)	35

HL Box Boom

U#	Instrument Type & Wattage	Purpose	Color	Chan	Dim
1	S4-19° 575w	Frnt Diag. Wash		(57)	59
2	S4-19° 575w	Frnt Diag. Wash		(58)	60
3	S4-19° 575w	Frnt Diag. Wash		(59)	61
4	S4-19° 575w	Frnt Diag. Wash		(60)	62
5	S4-19° 575w	Frnt Diag. Wash		(61)	63
6	S4-19° 575w	Frnt Diag. Wash		(62)	64

HL Swallows Nest (uplights)

U#	Instrument Type & Wattage	Purpose	Color	Chan	Dim
1	Alt 360Q 6x9 750w	Fabric Uplights	R89	(39)	57
2	Alt 360Q 6x9 750w	Fabric Uplights	R89	(39)	57
3	Alt 360Q 6x9 750w	Fabric Uplights	R89	(39)	58
4	Alt 360Q 6x9 750w	Fabric Uplights	R89	(39)	58

HR Spot Booth

U#	Instrument Type & Wattage	Purpose	Color	Chan	Dim
1	S4-10° 575w	Low Frnt Wash		(71)	1
2	S4-10° 575w	Low Frnt Wash		(72)	2

Center Spot Booth

U#	Instrument Type & Wattage	Purpose	Color	Chan	Dim
1	S4-10° 575w	Low Frnt Wash		(73)	6
2	S4-10° 575w	Low Frnt Wash		(74)	7
3	S4-10° 575w	Low Frnt Wash		(75)	8
4	S4-10° 575w	Low Frnt Wash		(76)	9
5	S4-10° 575w	Low Frnt Wash		(77)	10
6	S4-10° 575w	Low Frnt Wash		(78)	11

HL Spot Booth

U#	Instrument Type & Wattage	Purpose	Color	Chan	Dim
1	S4-10° 575w	Low Frnt Wash		(79)	13
2	S4-10° 575w	Low Frnt Wash		(80)	14

House Lights

U#	Instrument Type & Wattage	Purpose	Color	Chan	Dim
1	House Light 6kw	Front Orch.		(250)	339
2	House Light 6kw	House light		(250)	340
3	House Light 6kw	Rear Orch.		(250)	341
4	House Light 6kw	Rear Booths		(250)	340